

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework














NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Overarching	0.1i males Male healthy life expectancy at birth 2009-11 (Years)		62.1	63.2	55.0		70.3
	0.1i females Female healthy life expectancy at birth 2009-11 (Years)		63.6	64.2	54.1		72.1
	0.1ii males Male life expectancy at birth 2009-11 (Years)		78.7	78.9	73.8		83.0
	0.1ii females Female life expectancy at birth 2009-11 (Years)		82.8	82.9	79.3		86.4
	0.2iii males SII in life expectancy at birth for males within each English upper tier local authority, based on local deprivation deciles of LSOAs 2009-11 (Ratio)		9.4		16.4		0.0
	0.2iii females SII in life expectancy at birth for females within each English upper tier local authority, based on local deprivation deciles of LSOAs 2009-11 (Ratio)		6.6		13.3		0.0
	0.2iv males Indication of overall life expectancy for each local authority 2009-11 (Number)		-0.2	0.0	-5.1		3.0
	0.2iv females Indication of overall life expectancy for each local authority 2009-11 (Number)		-0.1	0.0	0.0		3.2
	0.2v SII in healthy life expectancy at birth based on national deprivation deciles of LSOAs within England (Ratio)						0.0
	1bi Life expectancy at 75, males 2009-11 (Years)		11.2	11.4	10.0		13.8
	1bii Life expectancy at 75, females 2009-11 (Years)		13.2	13.2	11.5		15.7
	4.3 Mortality rate from causes considered preventable 2009-11 (Rate per 100,000 population)	1782	153.2	146.1	264.2		100.7
	4.4i Mortality rate from all cardiovascular diseases (including heart diseases and stroke) in persons less than 75 years of age 2009-11 (Rate per 100,000 population)	688	61.0	60.9	113.3		39.5

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework

NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Overarching	1.1 Under 75 mortality rate from cardiovascular disease 2012 (Rate per 100,000 population)		53.6	56.0	94.0		25.5
	4.4ii Mortality rate from all cardiovascular diseases (including heart disease and stroke) that is considered preventable in persons less than 75 years of age 2009-11 (Rate per 100,000 population)	480	42.7	40.6	75.1		23.0
	4.5i Mortality rate from all cancers for persons in persons less than 75 years of age 2009-11 (Rate per 100,000 population)	1250	111.4	108.1	153.2		84.0
	4.5ii Mortality rate from all cancers that is considered preventable in persons less than 75 years of age 2009-11 (Rate per 100,000 population)	738	65.5	61.9	98.1		45.2
	4.6i Mortality rate from liver disease in persons less than 75 years of age 2009-11 (Rate per 100,000 population)	200	20.3	14.4	39.3		7.5
	1.3 Under 75 mortality rate from liver disease 2012 (Rate per 100,000 population)		22.6	14.2	33.3		4.0
	4.6ii Mortality rate from liver disease that is considered preventable in persons less than 75 years of age 2009-11 (Rate per 100,000 population)	186	19.0	12.7	37.0		7.5
	4.7i Mortality rate from respiratory diseases in persons less than 75 years of age 2009-11 (Rate per 100,000 population)	286	24.0	23.4	62.0		13.7
	1.2 Under 75 mortality rate from respiratory disease 2012 (Rate per 100,000 population)		20.5	22.6	55.2		5.2
	4.7ii Mortality rate from respiratory diseases that is considered preventable in persons less than 75 years of age 2009-11 (Rate per 100,000 population)	129	10.5	11.6	28.6		5.3
	4.8 Mortality rate from communicable diseases 2009-11 (Rate per 100,000 population)	517	29.1	29.9	54.9		22.0
	4.14i Emergency admissions for fractured neck of femur in persons aged 65 and over 2011-12 (Rate per 100,000 population)		466.2	457.2	599.5		337.9

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework













NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Overarching	4.14ii Emergency admissions for fractured neck of femur in persons aged 65-79 2011-12 (Rate per 100,000 population)		216.8	222.2	346.7		135.7
	4.14iii Emergency admissions for fractured neck of femur in persons aged 80 and over 2011-12 (Rate per 100,000 population)		1588.9	1514.6	2020.8		993.3
	4.15i Excess winter deaths all ages 2010-11 (Ratio)	222	24.8	17.0	34.0		0.0
	3.5ii Incidence of Tuberculosis 2010-12 (Rate per 100,000 population)		10.5	15.1	112.3		0.0
	1a males Potential Years of Life Lost from causes considered amenable to healthcare (males) 2012 (Rate per 100,000 population)		2139.5	2200.5	5266.7		0.0
	1a females Potential Years of Life Lost from causes considered amenable to healthcare (females) 2012 (Rate per 100,000 population)		1879.5	1810.7	2873.2		455.2
	1.4i One-year survival from colorectal cancer 2005-09 (%)		77.1	74.5	66.7		77.1
	1.4ii Five-year survival from colorectal cancer 2001-05 (%)		52.1	54.9	44.6		58.1
	1.4iii One-year survival from breast cancer 2005-09 (%)		94.4	95.8	93.7		98.2
	1.4iv Five-year survival from breast cancer 2001-05 (%)		81.8	82.0	77.1		86.1
	1.4v One-year survival from lung cancer 2005-09 (%)		24.9	31.0	23.3		35.5
	1.4vi Five-year survival from lung cancer 2001-05 (%)		6.7		5.6		8.1

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework












NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Overarching	1.4vii Under 75 mortality rate from cancer 2012 (Rate per 100,000 population)		113.7	105.3	160.3		72.9
	1.7 Premature mortality for people with a learning disability (TBC)						
Healthy Children	1.1 Children in poverty 2011 (%)	13095	22.8	20.6	43.6		2.8
	1.2 Good development at age 5 2012 (%)	2152	60.0	64.0	51.0		78.0
	1.3 Pupil absence 2011-12 (%)		5.3	5.1	6.7		2.0
	1.4 First time entrants to the youth justice system 2012 (Rate per 100,000 population)		403.3	537.0	1426.6		150.7
	1.5 16-18 year olds not in education, employment or training 2012 (%)		6.6	5.8	10.5		0.0
	2.8 Emotional well-being of looked after children 2011-12 (Score out of 40)		12.7	13.8	9.5		20.1
	2.1 Low birth weight of term babies 2011 (%)		3.4	2.8	5.3		0.0
	4.1 Infant mortality 2009-11 (Rate per 1,000 live births)	45	4.0	4.3	8.0		2.3
	1.6i Infant mortality 2010 (Rate per 1,000 live births)		4.5	4.2	10.0		0.0
	1.6ii Neonatal mortality and stillbirths 2010 (Rate per 1,000 live births and stillbirths)		9.2	8.0	16.1		4.0

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework










NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Children	5.5 Admission of full term babies to neonatal care 2010 (%)	114	3.3	5.1	57.1		0.8
	3.2 Emergency admissions for children with Lower Respiratory Tract Infections (LRTIs) 2012-13 Q4 (Rate per 100,000 population)		112.7	89.6	208.7		18.1
	5.6 Incidence of harm to children due to 'failure to monitor' (Number)						
	4.8 Children and young people's experience of healthcare (TBC)						
	2.6i Proportion of children aged 4-5 classified as overweight or obese 2011-12 (%)	867	24.7	22.6	30.0		0.0
	2.6ii Proportion of children aged 10-11 classified as overweight or obese 2011-12 (%)	1294	38.4	33.9	42.8		0.0
	4.2 Tooth decay in children aged 5 2011-12 (%)		0.6	0.9	2.1		0.0
	2.7i Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years) 2011-12 (Rate per 10,000 population)	618	111.6	118.2	211.4		68.7
	2.7ii Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24) 2011-12 (Rate per 10,000 population)	586	154.4	144.7	278.7		71.6
	3.2ii Chlamydia diagnoses - CTAD Data 2012 (Rate per 100,000 population)	275	724.5	1979.1	6131.9		702.8
	2.4 Under 18 conceptions 2011 (Rate per 1,000 female population aged 15-17)		35.6	30.7	58.1		0.0
	3.3i (1yr olds) Hepatitis B vaccination coverage (one year olds) 2011-12 (%)	4	100.0		0.0		100.0

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework












NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Children	3.3i (2yr olds) Hepatitis B vaccination coverage (two year olds) 2011-12 (%)	6	100.0		2.6		100.0
	3.3ii BCG vaccination coverage (aged under 1 year) 2011-12 (%)	518	100.0	96.5	2.1		100.0
	3.3iii DTaP/IPV/Hib vaccination coverage (one and two year olds) 2013-14 Q2 (%)	1877	98.3	94.9	79.9		99.0
	3.3iv MenC vaccination coverage (one year olds) 2011-12 (%)	3484	96.5	93.9	81.4		98.6
	3.3v PCV vaccination coverage (one year olds) 2011-12 (%)	3490	96.6	94.2	83.8		98.6
	3.3vi Hib/MenC booster vaccination coverage (two and five year olds) 2012-13 Q4 (%)	1703	94.6	92.4	77.3		98.1
	3.3vii PCV booster vaccination coverage (two year olds) 2011-12 (%)	3508	95.2	91.5	74.7		97.0
	3.3viii MMR vaccination coverage for one dose (two year olds) 2011-12 (%)	3478	94.4	91.2	78.7		97.2
	3.3ix MMR vaccination coverage for one dose (five year olds) 2011-12 (%)	3301	95.5	92.9	79.8		98.0
	3.3x MMR vaccination coverage for two doses (five year olds) 2011-12 (%)	3098	89.6	86.0	69.7		95.3
	3.3xi Td/IPV booster vaccination coverage (13-18 year olds) 2011-12 (%)	2893	12.1	11.4	2.7		24.7
	3.3xii HPV vaccination coverage (females 12-13 year olds) 2011-12 (%)	1586	90.7	86.8	62.3		97.2

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework













NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Lifestyles	2.2i Breastfeeding initiation 2011-12 (%)	2112	57.2	74.0	41.8		94.3
	2.2ii Breastfeeding prevalence at 6-8 weeks after birth 2011-12 (%)	1040	28.8	47.2	19.7		82.8
	2.3 Smoking status at time of delivery 2011-12 (%)	574	15.5	13.2	29.7		2.9
	2.14 Smoking prevalence - adults 2011-12 (%)	250	19.1	20.0	41.7		13.2
	2.12 Excess weight in adults 2006-08 (%)		27.7	24.2	30.7		13.9
	2.13i Proportion of adults achieving at least 150 minutes of physical activity per week in accordance with UK CMO recommended guidelines on physical activity 2012 (%)		48.4	56.0	43.8		68.5
	2.13ii Proportion of adults classified as "inactive" 2012 (%)		37.7	28.5	40.2		18.2
	2.18 Alcohol-related admissions to hospital 2012-13 Q4 (Rate per 100,000 population)	2338	556.6	495.1	818.8		235.9
	2.20i The percentage of women in a population eligible for breast screening at a given point in time who were screened adequately within a specified period 2013 (%)	25493	75.1	76.3	58.2		84.5
	2.20ii The percentage of women in a population eligible for cervical screening at a given point in time who were screened adequately within a specified period 2013 (%)	56548	73.8	73.9	58.6		83.2
	2.22i Percentage of eligible population who are offered an NHS health check 2012-13 (%)	21627	23.4	16.5	0.7		42.5
	2.22ii Percentage of eligible population offered an NHS Health Check who received an NHS Health Check 2012-13 (%)	8974	41.5	49.1	7.7		100.0

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework












NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Lifestyle	2.21vii The percentage of those offered screening for diabetic eye screening who attend a digital screening event 2011-12 (%)	10320	72.9	80.9	66.7		95.0
Healthy Minds	2.10 Self-harm 2011-12 (Rate per 100,000 population)	684	234.3	207.9	542.4		51.2
	4.10 Suicide rate 2009-11 (Rate per 100,000 population)		6.5	7.9	13.9		4.3
	4.9 Excess under 75 mortality in adults with serious mental illness 2010-11 (Rate per 100,000 population)		965.4	921.2	1863.2		210.4
	2.23i The percentage of respondents scoring 0-6 to the question "Overall, how satisfied are you with your life nowadays?" 2011-12 (%)		30.5	24.3	30.5		14.6
	2.23ii The percentage of respondents scoring 0-6 to the question "Overall, to what extent do you feel the things you do in your life are worthwhile?" 2011-12 (%)		25.2	20.1	25.4		12.8
	2.23iii The percentage of respondents who answered 0-6 to the question "Overall, how happy did you feel yesterday?" 2011-12 (%)		33.5	29.0	36.6		19.2
	2.23iv The percentage of respondents scoring 4-10 to the question "Overall, how anxious did you feel yesterday?" 2011-12 (%)		38.5	40.1	48.3		34.4
	2 Health related quality of life for people with long-term conditions 2012/13 (Number)		0.7	0.7	0.6		0.8
	2.4 Health-related quality of life for carers 2012-13 (Number)		0.8	0.8	0.7		0.9
	1.6ii Percentage of adults receiving secondary mental health services living independently at the time of their most recent assessment, formal review or other multi-disciplinary care planning meeting 2011-12 (%)	965	48.4	54.6	2.9		91.7
	1.8iii Gap between employment rate of those with mental illness and overall employment rate (%)						

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework

NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Minds	1F Proportion of adults in contact with secondary mental health services in paid employment 2012-13 (%)	55	3.4	7.7	1.0		20.3
	1.6i Percentage of adults with a learning disability who are known to the council, who are recorded as living in their own home or with their family 2011-12 (%)		76.8	70.0	0.0		93.8
	1H Proportion of adults in contact with secondary mental health services living independently, with or without support 2012-13 (%)	520	32.3	59.3	4.7		94.0
	2.6i Estimated diagnosis rate for people with dementia (%)			48.7			
	2.6ii Effectiveness of dementia post-diagnosis care in sustaining independence and improving quality of life (TBC)						
	4.7 Patient experience of community mental health services 2013 (Score out of 100)		87.6	85.8	80.9		90.9
Healthy Neighbourhoods	1.10 Killed and seriously injured casualties on England's roads 2010-12 (Rate per 100,000 population)	283	30.1	40.5	665.6		0.0
	3.1 Fraction of mortality attributable to particulate air pollution 2011 (%)		5.3	5.4	8.9		3.0
	1.16 Utilisation of outdoor space for exercise/health reasons 2012-13 (%)		14.3	15.3	0.0		41.2
	3.6 Public sector organisations with a board approved sustainable development management plan 2011-12 (%)	3	60.0	84.1	20.0		100.0
	1.12ii Rate of violence against the person offences based on police recorded crime data 2012-13 (Rate per 1,000 population)	2157	6.9	10.6	69.9		4.1
	1.12i Emergency hospital admissions for violence 2009-10/2011-12 (Rate per 100,000 population)	659	78.4	67.7	213.5		0.0

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework











NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Neighbourhoods	1.12iii Sexual Violence 2011-12 (%)	240	0.8	1.0	3.0		0.3
	1.13i The percentage of offenders who re-offend from a rolling 12 month cohort 2010 (%)	620	22.8	26.8	36.3		17.3
	1.13ii The average number of re-offences committed per offender from a rolling 12 month cohort 2010 (Mean average)	1668	0.6	0.8	1.2		0.4
	1.14i Number of complaints per year per local authority about noise 2011-12 (Rate per 1,000 population)	1528	4.9	7.5	116.0		1.4
	1.15i Homelessness acceptances 2012-13 (Rate per 1,000 households)	171	1.3	2.4	11.4		0.0
	1.15ii Households in temporary accommodation 2012-13 (Rate per 1,000 households)	55	0.4	2.4	33.2		0.0
	1.17 Fuel poverty 2011 (%)	16668	12.8	10.9	18.0		2.5
Healthy Services	2.17 Recorded diabetes 2011-12 (%)	15670	6.2	5.8	8.0		2.7
	4.11 Emergency readmissions within 30 days of discharge from hospital 2010-11 (%)		11.7	11.8	13.8		8.1
	2.15i Successful completion of drug treatment for opiates 2012 (%)	89	9.2	8.2	0.0		17.6
	2.15ii Successful completion of drug treatment for non-opiates 2012 (%)	80	44.0	40.2	0.0		68.4
	2.24i Emergency hospital admissions for injuries due to falls in persons aged 65 and over 2011-12 (Rate per 100,000 population)	1380	1825.7	1664.8	2985.3		0.0

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework











NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Services	2.24ii Emergency hospital admissions for injuries due to falls in persons aged 65 to 79 2011-12 (Rate per 100,000 population)	416	906.0	940.5	1725.8		0.0
	2.24iii Emergency hospital admissions for injuries due to falls in persons aged 80 and over 2011-12 (Rate per 100,000 population)	964	5964.2	4923.9	8965.4		0.0
	2.3i Unplanned hospitalisation for chronic ambulatory care sensitive conditions 2012-13 Q4 (Rate per 100,000 population)		220.2	205.5	423.4		43.5
	2.3ii Unplanned hospitalisation for asthma, diabetes and epilepsy in under 19s 2012-13 Q1 (Rate per 100,000 population)		94.5	77.0	196.8		11.4
	3a Emergency admissions for acute conditions that should not usually require hospital admission 2012-13 (Rate per 100,000 population)		420.4	314.9	588.7		73.2
	3b Emergency readmissions within 30 days of discharge from hospital 2011-12 (%)		11.8	11.8	14.5		8.9
	3.1i Total health gain as assessed by patients for elective procedures - Unilateral Hip Replacements 2011-12 (Health score)		0.4	0.4	0.3		0.5
	3.1ii Total health gain as assessed by patients for elective procedures - Unilateral Knee Replacements 2011-12 (Health score)		0.3	0.3	0.2		0.4
	3.1iii Total health gain as assessed by patients for elective procedures - Groin Hernia Surgery 2011-12 (Health score)		0.0	0.1	0.0		0.1
	3.1iv Total health gain as assessed by patients for elective procedures - Varicose Vein Surgery 2011-12 (Health score)		0.1	0.1	0.1		0.2
	3.1v Total health gain as assessed by patients for elective procedures - Psychological Therapies (Health score)						
	3.3 Proportion of people who recover from major trauma (Adjusted odds)						

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework

NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Services	3.4 Proportion of stroke patients reporting an improvement in activity/lifestyle on the Modified Rankin Scale at 6 months (Score out of 6)						
	3.5i The proportion of patients with a fragility fracture recovering to their previous levels of mobility at 30 days (%)			21.7			
	3.5ii The proportion of patients with a fragility fracture recovering to their previous levels of mobility at 120 days (%)			47.3			
	3.6i The proportion of older people (65 and over) who were still at home 91 days after discharge from hospital into rehabilitation 2011-12 (%)	199	87.3	82.7	56.9		100.0
	4ai Patient experience of primary care - GP services 2012-13 (Score out of 100)	4663	85.5	86.7	74.1		92.6
	4aii Patient experience of primary care - GP out of hours services 2012-13 (Score out of 100)	412	66.6	70.2	54.5		82.8
	4aiii Patient experience of primary care - NHS dental services 2012-13 (Score out of 100)	1626	89.2	84.0	73.4		92.9
	4b Patient experience of hospital care 2012-13 (Score out of 100)		73.4	76.5	68.0		88.2
	4ci Friends and Family Test - A&E Oct-13 (Score between -100 and 100)		61.0		-11.0		93.0
	4cii Friends and Family Test - Inpatients Oct-13 (Score between -100 and 100)		76.0	71.0	41.0		100.0
	4.1 Patient experience of outpatient services 2011 (Score out of 100)		77.4	79.5	71.0		88.5
	4.2 Responsiveness to in-patients' personal needs 2012-13 (Score out of 100)		64.9	68.1	57.4		84.4

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework






NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Services	4.3 Patient experience of accident and emergency services 2012 (Score out of 100)		78.5	79.1	0.0		86.6
	4.4i Access to GP services 2012-13 (%)	3932	73.3	76.3	59.3		86.8
	4.4ii Access to NHS dental services 2012-13 (%)	1751	95.9	93.0	83.0		97.4
	4.5 Women's experience of maternity services 2010 (Score out of 100)		77.1	77.0	74.4		80.5
	4.6 Bereaved carers' views on the quality of care in the last 3 months of life (%)						
	4.9 People's experience of integrated care (TBC)						
	5a Patient safety incidents reported 2012-13 Q1&2 (Rate per 100 admissions)	4049	7.5		24.6		2.0
	5b Safety incidents involving severe harm or death 2012-13 Q1&2 (Rate per 100 admissions)	41	0.1		0.3		0.0
	5c Hospital deaths attributable to problems in care (TBC)						
	5.1 Incidence of healthcare-related venous thromboembolism (Rate per 100,000 population)						
	5.2i Incidence of healthcare associated infection: MRSA bacteraemia 2012-13 (Number)		2.0		18.0		0.0
	5.2ii Incidence of healthcare associated infection: C. Difficile 2012-13 (Number)		106.0		269.0		12.0

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework

NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Services	5.3 Incidence of newly-acquired category 2,3 and 4 pressure ulcers (%)						
	5.4 Incidence of medication errors causing serious harm 2012-13 Q1&2 (Rate per 100 admissions)	41	0.1	0.0	0.3		0.0
	3.3xiii PPV vaccination coverage (over 65s) 2011-12 (%)	40661	67.8	68.3	52.8		76.6
	3.3xiv Flu vaccination coverage (over 65s) 2011-12 (%)	44105	73.2	74.0	64.8		81.5
	3.3xv Flu vaccination coverage (at risk individuals from age six months to under 65 years) 2011-12 (%)	16326	52.2	51.6	43.4		66.3
	3.4 People presenting with HIV at a late stage of infection 2009-11 (%)	11	36.7	50.0	75.0		0.0
	3.5i Proportion of patients who successfully complete treatment for tuberculosis 2012 (%)		74.3	82.8	22.6		100.0
	4.12i Crude rate of sight loss due to Age-related Macular Degeneration (AMD) in persons aged 65 years and over 2011-12 (Rate per 100,000 population)	79	134.8	110.5	225.2		12.8
	4.12ii Crude rate of sight loss due to glaucoma in persons aged 40 years and over 2011-12 (Rate per 100,000 population)	15	9.2	12.8	34.5		3.0
	4.12iv Crude rate of sight loss certifications 2011-12 (Rate per 100,000 population)	164	52.4	44.5	82.5		5.1
	2.1 Proportion of people feeling supported to manage their condition 2012-13 (%)		69.5	69.3	55.3		79.2
	1.8i Gap between employment rate of those with long-term health conditions and overall employment rate 2012 (%)		4.7	7.1	21.7		-5.3

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework











NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Services	1.8ii Gap between employment rate of those with learning difficulty/disability and overall employment rate. 2011-12 (%)		65.7	63.2	73.1		40.2
	1G Proportion of adults with a learning disability who live in their own home or with their family 2012-13 (%)	495	70.0	73.5	32.6		96.6
	1E Proportion of adults with learning disabilities in paid employment 2012-13 (%)	50	6.8	7.0	0.6		23.1
	1A Social care related quality of life 2012-13 (Score out of 24)		19.0	18.8	17.6		19.9
	1B The proportion of people who use services who have control over their daily life 2012-13 (%)		74.8	76.1	64.8		86.5
	1Ci Proportion of people using social care who receive self-directed support 2012-13 (%)	4100	68.0	55.5	7.4		96.2
	1Cii Proportion of people using social care who receive direct payments 2012-13 (%)	1185	19.7	16.5	4.2		45.5
	1D Carer-reported quality of life 2012-13 (Score out of 12)	355	8.3	8.1	6.6		9.8
	1I Proportion of people who use services and their carers, who reported that they had as much social contact as they would like (%)	0	0.0	0.0	0.0		0.0
	2Ai Permanent admissions to residential and nursing homes of younger people, per 100,000 population 2012-13 (Rate per 100,000 population)	35	19.4	15.0	51.7		3.9
	2Aii Permanent admissions to residential and nursing homes of older people, per 100,000 population 2012-13 (Rate per 100,000 population)	475	783.0	697.2	1376.3		138.3
	2Bi Proportion of older people (65 and over) who were still at home 91 days after discharge from hospital into reablement/rehabilitation services 2012-13 (%)	220	87.4	81.4	53.7		98.1

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS


Source

Public Health outcomes framework









NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated

Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Services	2Bii NHS 3.6ii The proportion of older people aged 65 and over offered reablement services following discharge from hospital. 2021-13 (%)*	255	2.8	3.2	0.4		25.4
	2Ci Delayed transfers of care from hospital per 100,000 population 2012-13 (Rate per 100,000 population)	21	8.5	9.5	27.1		1.1
	2Cii Delayed transfers of care from hospital attributable to adult social care services per 100,000 population 2012-13 (Rate per 100,000 population)	14	5.7	3.3	12.8		0.3
	2D The outcomes of short-term services: sequel to service (%)		0.0	0.0	0.0		0.0
	2E The effectiveness of reablement services (TBC)	0	0.0	0.0	0.0		0.0
	2F Dementia - a measure of the effectiveness of post-diagnosis care in sustaining independence and improving quality of life (TBC)		0.0	0.0	0.0		0.0
	3A Overall satisfaction of people who use services with their care and support 2012-13 (%)		61.2	64.1	48.0		73.9
	3B Overall satisfaction of carers with social services 2012-13 (%)	155	45.9	42.7	25.8		65.4
	3C The proportion of carers who report that they have been included or consulted in discussion about the person they care for 2012-13 (%)	215	74.5	72.9	55.0		100.0
	3D The proportion of people who use services and carers who find it easy to find information about services 2012-13 (%)		73.2	71.4	51.9		83.0
	3E Improving people's experience of integrated care (TBC)		0.0	0.0	0.0		0.0
	4A The proportion of people who use services who feel safe 2012-13 (%)		62.6	65.1	49.6		77.8

HEALTH AND WELLBEING PRIORITIES -OUTCOMES FRAMEWORKS

- Significantly better than England average
- Not significantly different from England average
- Significantly worse than England average
- No significance can be calculated


Source


Public Health outcomes framework

NHS outcomes framework

Adult social care outcomes framework

Spine chart explanation:



Domain	Indicator	Local Numerator	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Healthy Services	4B The proportion of people who use services who say that those services have made them feel safe and secure 2012-13 (%)		76.4	78.1	57.5		93.0
	4C Proportion of completed safeguarding referrals where people report that they feel safe (%)						

Notes * This indicator (ASC 2Bii and NHS 3.6ii) is identical and therefore has only been included once on the HWBB outcomes framework